3/5
10/12/54

Contents

of the

Höfchen-Briefe

b

1953

Papers

1953

Eckert, Forstmeister: "Observations during the Application of 'Tributon' i Forests". P. 167—169.

Hanf, Dr. M.: "The Present Extent of Plant Protection Measures". P. 1—70.

Herfs, Dr. Adolf: "The Sawlike Hard-Wood Boring Lymexylonid Beetle *Hyla coetus dermestoides* L. as a Secondary Pest on the Sweet Cherry Tree" P. 173—178.

Hirschmann, Dr. Hedwig: "Control of Leaf Nematodes with 'Systox'." P. 90—112.

Jamalainen, Prof. Dr. E. A.: "The Significance of Cereal Seed Dressing i Finland". P. 80—83.

Kersting, Dr. K.: "Control of Butterbur on Meadows and Pastures". P. 83—8

Liebster, Dr. G.: "Do Conditions Justify the Establishment of a Sca Warning Service?" P. 133—142.

Linke, Dr. Wilfried: "Investigation of the Biology and Epidemiology of th Common Spider Mite, *Tetranychus althaeae* v. Hanst., with particular con sideration to the hop as the host". P. 181—232.

Meyer-Bahlburg, Dipl.-Landw. W.: "Economy of the Cockchafer Con trol". P. 130—132.

Mühlmann, Dr. H.: "Control of Red Mites in Viniculture in Rhine-Hesse" P. 73—79.

Roesler, Dr. R.: "Damage Caused to Osier Cultures by *Lepyrus palustris* Sco poli (Col. Curcul.)". P. 169—172.

Schmit, Jos.: "Tests to Control the Cherry Maggot with Phosphoric Este Preparations". P. 113—117.

Schuhmann, Dr. Gerhard: "Investigations on the Effect of Phosphoric Aci Esters on Pests Occurring in Stone Fruit (*Rhagoletis cerasi* L., *Laspey resia funebrana* Tr., *Hoplocampa minuta* Christ. und *Hoplocampa flav* L.)". P. 233—282.

Soenen, Dr. Ir. A.: "The Tortrix Moths of Our Fruit Trees". P. 117—121.

Soenen, Dr. Ir. A., and Van Wetswinkel, G.: "Experiments on the Control of the Codling Moth *(Laspeyresia pomonella* L.) carried out in 1952". P. 142—157.

Staudenmayer, Dr. Th.: "The Influence of 'E 605' on the Respiration of Silkworm Eggs". P. 158—166.

Unterstenhöfer, Dr. G.: "Field Tests with the Systemic Insecticide 'Systox' against the Bean Aphid *(Doralis fabae* Scop.) on Horse Beans *(Vicia faba* L.)". P. 121—130.

Vogt, Eugen: "Experiment on the Control of *Phytonomus variabilis* (Lucerne Leaf Beetle) by means of Dusting Agents". P. 178—180.

Braun, H., and Riehm, E.: "Diseases and Pests Occurring on Cultures, and Their Control". 7th Edition. Publishers: Paul Parey (Ref.: Dr. G. Unterstenhöfer). P. 180.

Index of Names

1953

A

Allen 91
Andersen 193, 196, 204, 225, 226
André 186
Appel 3

B

Batchelor 184
Beaument 166, 186
Beck 169
Bliss 236
Bock 161, 165
Bodenheimer 194
Böhm 275
Bondarenko 215, 219
Booth 121
Bosse 90, 98, 107
Bovey 262, 268, 275
Braun 180

C

Chapman 189, 218, 219, 223
Christie 91
Cox 239, 251
Cretschmer 158
Czech 35

D

Davidson 121
Dingler 169
Dosse 277
Drees 1, 3, 14, 16, 18, 19
Driggers 271

E

Antii Elomaa 80
Engel 256
Erdmann 4
Escherich 169
Ext 3, 17

F

Ferrant 169
Fischer 262, 268
Fleischmann 190
Franklin 91
Frohberger 110, 242, 243, 246, 247
Fuchs 3

G

Garlick 205, 219
Gasser 186, 187, 192, 204, 210, 212, 215, 216
Geiger 194
Geijskes 225
Ginsbury 265
Goffart 90
Grandori 165, 166
Grob 189, 190, 213
Günthart 191, 192, 210, 213

H

Hahmann 109, 110
Hampp 190
Hanf 4, 11, 12, 16, 17, 24, 35, 56, 63
Hanstein 216
Hecht 251
Heller 4, 65
Hesmer 167
Heß 169
Hoed 185
Holz 158, 247
Hoskins 265
Hufacker 225
Hus 140

I, J

Ibbotson 121
Jäger 74, 75, 76, 77
Janisch 211
Janson 216
Jary 190, 216
Junges 91

K

Kemper 29
Kennedy 121
Korsmo 11, 12
Kotte 22, 178
Kuenen 191

L

Leib 65
Lienk 189, 218, 219, 223
Linke 190, 210, 213, 216, 219
Lord 158, 165
Lüdicke 239, 277

M

Magerstein 170, 172
Mammen 2, 8, 11, 13, 14, 19, 26, 30
Massee 184
McGregor 183
Merkenschlager 248
Mills 135, 136, 137
Möricke 122
Morstatt 1, 226
Müller 109, 110
Müller, F. P., 248
Müller, H. I., 121

N

Neeb 65
Neger 173
Neiswander 188
Nielsen, Olaf, 80, 82
Niklas 1
Nüßlin 169

P

Paech 246, 263, 264
Platz 79
Potter 158, 166

R

Rademacher 17, 19, 35, 46, 58, 89, 280
Reckert 74, 75
Reiff 186, 188, 191, 215
Rhumbler 169
Richter 24
Riehm 180
Ritzema Bos 91
Roemer 14
Rümker, von, 2

S

Sacharow 170
Sachs 90, 95, 97, 104, 111
Seiffert 190, 216, 225
Siemaszkowa 170
Sorauer 169, 178
Speyer 158, 248
Spitzer 225
Sprengel 238

Sch

Schanderl 166
Schleicher 237, 246
Schmitt 255
Schneider 239
Schöne 239, 256
Schrader 90, 206, 234
Schüll 237, 246
Schuhmann 233, 235
Schwartz 158
Schwarz 91

St

Steiner 91
Stellwaag 199
Streuer 6
Stummeyer 12

T

Taubitz 19
Thiem 234, 239, 240, 247, 250, 252, 255, 256, 259, 260, 261, 262, 275, 277, 279, 280
Thomson 178
Thor 184
Trägardh 189

U

Unger 121
Unterstenhöfer 3, 14, 16, 110
Uvarow 195

V

Vasseur 199
Vitzthum 186, 187, 225
Vogel 239, 261

W

Wiesmann 238, 247
Wilhelm 189, 190, 218
Wirth 251
Woroniecka 170
Worsham 212

Z

Zacher 183, 190, 216
Zattler 110, 191, 200, 210, 227
Zwölfer 197, 225

Index

A

Abdomen ganglia 186
Acari 183
Acaricide 205
Acarologists 183
Acetic acid 138
Acetone 236, 237, 245, 265
Ackersegen (potato variety) 18
Active ingredient residue 257, 265, 266, 279
Aegopodium podagraria 190
Aerosol 239
Agar 107, 235
Agelastica alni 158
Agents parasitizing 90
Agrilus sinuatus 172
Alcoholic lye 236
Alpha acid 191
Ambrosia fungus 173, 175, 177
American willows (osier) 170, 171, 172
Aminooxypurine 186
Amount of active ingredient 251
Aphelenchoides 91
Aphelenchoides fragariae 91—99, 101, 103, 104, 106, 111
Aphelenchoides olesistus 91
Aphelenchoides Ritzema-bosi 90, 91, 100—107, 111, 112
Aphicides 121
Aphid control 48, 52, 129
Aphid excretions 124
Aphids 48, 52—54, 91, 110, 122, 130, 137
Aphis fabae 121
Apion pisi 124
Apple 8, 21, 22, 23, 43, 46, 47, 48, 53, 60, 64, 126, 133, 141, 189, 243, 246, 263, 271
Apple blossom weevil 47, 52, 54, 139, 141
Apple blossom weevil control 47
Apple leaf suckers 139
Apple sauce 246
Apple sawflies 141
Apple scab 133
Application of fungicides 42
Approved seed potatoes 20, 68
Arable farming 63, 64
Arachnoidea 183
Araigné rouge 184
Argyroploce variegana 117
Arrhenotoky 206, 212
Arsenic 50
Arthropoda 183
Articulata 183
Artifical moistening of leaves (scab control) 138
Artiplex sp. 190
Asci 134
Asci (scab-fungus) 134
Ascopores 134, 138
Atomizers 140, 142, 148, 252, 256, 257, 258, 261
Atomizers (new type) (spray mist) 140, 142, 169
Atomizing (fruit growing) 257

B

Bacteria 108, 109, 112
Bait sprays 114
Baker's yeast 235
Bark beetles 173
Bean aphid 121
Beans 122, 127, 214, 217
Bean Spider Mite 184
Bees 128
Beeswax 272
Beets 7, 129, 132
Beet syrup 248
Begonia 90
Berry and currant bushes 47, 168
Berry pickers 168
Beta vulgaris crassa 190
Beta vulgaris saccharifera 190
BHC-washes 114
Biological test 249
Bitter element 195
Bitter element content 195
Blackberries 168
Black leg (potato) 32
"Bladan" 262
Blight on potatoes 32
Blind sacs 186

Böhms Mittelfrühe (potato variety) 131
Bombyx mori 158, 166
Bordeaux mixture 43, 60, 61
Brassica napus oleifera 189
Brain ganglia 186
Broad bean (Vicia faba) 121, 129, 189
Broad leaved plantain (Plantago major) 190
Broom 86
Bruchus refinamus 158
Bryobia praetiosa 190
BSE apparatus 131
"Bühler" damsons 278
"Büttners rote Knorpelkirsche" (late-ripening cherry variety) 249, 250
Bulbs 108
Bush vetch (Vicia sepium) 190
Butterbur control 83, 86, 87, 88
Butterbur-infested area 85

C

Cabbage seed stalk curculio 32
Cacoecia lecheana 117
Calandra granaria 24, 235, 279
Capua reticulana 117, 119, 120
Carnoy 165
Carotene 216
Carpocapsa 151
Carpocapsa pomonella 271
Catching of spores (spore control) 138, 140
Cattle salt 214
Caustic lime 11
Cellophane gauze cages 248
Cereal seed dressing tests 80
"Ceresan" 80
Ceutorrhynchus napi 172
Change in population density of Tetranychus althaeae 183, 217, 220, 222, 223, 224, 225, 227, 228, 229
Charlock 190
Chemical weed killers 39, 40, 85
Cherry 113, 116, 233, 234, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 251, 252, 253, 255, 256, 257, 258, 259, 261, 262, 264, 265, 267, 279
Cherry fruit fly 113, 114, 141, 234, 238, 239, 242, 246, 247, 248, 250, 252, 256, 259, 262
Cherry maggot 113, 115, 116
Cherry varieties, for distilling 238
Chlorates 85
Chlordane 239
Chlorophyll 191, 216
Cholinesterase 165
Chromosomes 206
Chrysalis stages 188, 227
Chrysanthemum indicum 99
Chrysanthemum leucanthemum 189
Chrysanthemum nematodes 90, 99, 108, 110
Chrysanthemums 91, 99, 106, 107, 111
Chrysopa californica 226
Citrus fruits 243
Coccinellidae 122, 128
Codling moths 47, 48, 52, 117, 141, 142, 145, 147—157, 271
Codling moth control 8, 48, 142, 147—157
Cold shock 217, 218, 219
Collodial sulphur 43
Collodion solution 277
Common chickweed (Stellaria media) 190
Common hawkbit 190
Common mallow spider mite 188
Common red spider 182
Common spider mite 181, 182, 185, 191, 192
Compost soil 209
Conodia 137
Contact effect 109, 110, 267, 280
Contact insecticides 50, 60, 61, 62, 238 239, 252, 259, 262
Contact poison 110, 112, 113, 253, 262
Continuous seed cleaning and dressing plants 37
Control dates 133, 134
Control demonstrations (weeds) 39
Control equipment 62
Control measures (costs) 31
Control measures (rats) 29
Control of meadow saffron 89
Control of vegetable diseases 42
Convolvulus arvensis 190
Copper agents 41, 42, 44, 45
Copper arsenic preparations 45
Copper stain 191
Copper sulphide preparations 45
Corn grass 13
Cotton plants 226

Covered smut of barley 81
Covered smut of oats 82
Cryptorhynchus lapathi 172
Crystallizing dishes 207, 214
Cucumis sativus 189
Cucurbita pepo 189
Cultivation area of oil fruits 16
Curative effect 140
Curled dock 190
Curled dock (Kumex crispus) 190
"Cupravit" (Ob 21) 42

D

2,4 D (weed control) 39, 86
2,4 D / 2,4,5 T mixed preparations (weed control) 89
Dahlia 189
Damage caused by degeneration diseases (Potato) 20
Damage caused by field mice 26
Damage caused by weeds 10, 11
Damage inflicted by field mice 28
Damage inflicted by wood mice 28
Damages to buds (Capua reticulana) 118
Damage to the fruits (Capua reticulana) 119
Damage to the shoots (Capua reticulana) 119
Damson 8, 21, 22, 23, 52, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 276, 277, 278, 279, 280
Dandelion (Taraxaeum officinale) 190
"DDT" agents 48, 50, 113, 114, 120, 158, 172, 239, 258, 260, 261, 262, 279
"DDT" emulsions 52
"DDT" + Hexa agent 178
Decomposition, fermentative, 245, 246
Decrease of potato crops caused by virus diseases 19
2,4-D-ester 167
Degeneration diseases of potatoes 16, 20
Demonstration tests (late blight control) 45, 62
Demonstration tests (pollen beetle control) 50
Density of infestation aphid 125, 221
Depot of active ingredient 122
Derris 238
Deutochrysalis 187, 195
Deutonymph 187, 196, 204, 228
Dianthus 189
Diapause 213
Diataraxia olearacea 158, 166
Dichloropropane 238
Dichloropropene 238
Diethyl compound 273
Diethyl ester 156, 273
Diethyl ether 235
Diethyl-p-ester 235
Diethyl-p-nitrophenyl 241
Diethyl paranitrophenyl thiophosphate 143, 145, 147, 148, 150, 152
Diethyl-p-nitrophenyl thiophosphate 234, 235, 236, 238, 239, 240, 244, 245, 247, 257, 259, 261, 263, 266, 268, 273, 275, 279
Diethyl paranitrophenyl thiophosphate (20 % "E 605" wettable powder) 152
Diethyl thiophosphoric acid ester 235
0·0-diethyl thiophosphoric acid-o-p-nitrophenyl ester 273
Digiti fixi 184
Digitis mobiles 184
Dimethyl ester 273
Dimethyl paranitrophenyl thiophosphate (20 % "E 605" wettable powder) 152
0·0-dimethyl thiophosphoric acid-o-p-nitrophenyl ester 273
Dinitro-0-cresol 238
Dinitroorthocresol (weed killer) 39, 41
Diplogaster maupasi 108, 109, 112
Diseases on vegetables 42
Ditylenchus dipsaci 108, 111, 112
DNC mineral oil combinations 119
DNOC tar oil 54
Dogs mercury 167
Doralis fabae 121, 122, 124, 129
Dormant spraying 8, 22, 30, 33, 35, 36, 52, 53, 54, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 133
Dorsal hairs 184
Dosage of ester 104
Dressing tests 82
Droplets of gum 275
Drosophila flies 235, 236, 237, 240, 243, 245, 249, 267, 268
Drosophila melanogaster 235, 236, 241, 242, 244, 246, 263, 265, 266, 267, 268, 277, 279

Dry seed dressing 10, 36, 37, 80
Dry seed dressing agents 80
Dry seed dressing agents containing mercury 80
Dusting agents 47, 48, 49, 50, 51, 178, 179, 180
Dusting agents to control potato beetle 49, 50, 51
Dusting (cockchafer control) 131
Dusting dates 50
Dusting (pollen beetle) 14, 15, 16
Dusting with contact insecticides 50, 60, 61

E

"E 605" 14, 50, 51, 52, 74, 75, 76, 77, 78, 79, 90, 109, 110, 114, 120, 131, 143, 147, 148, 158, 159, 160, 161, 162, 163, 164, 165, 166, 172, 178, 180, 234, 235, 237, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 274, 275, 276, 277, 278, 279, 280
"E 605" conc. 73, 74, 75, 79, 95, 97, 101, 103, 104, 105, 109, 111, 112, 143, 145, 172, 235, 236, 237, 238, 239, 240, 241, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 255, 256, 257, 258, 259, 260, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 274, 276, 277, 278, 279, 280
"E 605"-dust 172
"E 605" emulsion 240, 245
"E 605" f 235, 238, 239, 254, 262, 279
"E 1059" 235
"E 8169" 235
Ectotherapeutically effective dust agents 90
Ectotherapeutically effective spray 90
Eelworm 93, 111
Embryonic development 188, 202, 203, 207, 210, 223, 225, 228, 247, 257
Emergency harvest (hops) 192
Empodial apparatus 185
Endomyces hylocoeti 173, 175, 177
Ensi (Finnish winter rye variety) 81
Eotetranychus 184
Ephestia kühniella 158, 166
Epimarphasis 187
Epitetranychus althaeae 73
Ermine moth 52
Ester 239, 243, 244, 245, 247, 249, 251, 252, 265, 266, 267, 270, 275, 277, 279, 280
Ester content 235
Esterase 165
Ester, phosphor-containing, 120, 121
Ester residue 251, 279
Ethanol 266
Ether narcosis 241
Ethyl ester 157
Ethyl thioglycol ether 235
Exhibitive controls (butterbur control) 89
Expenditure for plant protection measures in field vegetable growing 35
Experimental Farm at Höfchen 183, 213, 216, 223, 227, 228
Experimental institutes 134, 138
Extension of plant protection 68
Extrapolation 267
Exudate 274
Exuviae 188

F

Fatal dose 235, 251, 267
Fats 246
Ferment 109, 110, 112
Fern 167, 168
Fern nematodes 90, 91, 97
Fern plants 98, 99, 112, 167
Ferrous sulphate 235
Field mice control 36, 54, 56, 57, 58, 65, 66
"Filius" Portable Rotary Duster 178
Filter paper 271
Forest culture plants 167
Forestry 167
Fragaria 189
Fruit parasites 32, 52, 117
Fruit tree carbolineum oil 238
Fruit tree spraying 44, 45, 64
Fungicides 19, 36, 42, 43, 47, 60, 61, 64, 66, 67
Fusarium nivale 80

Fusarium sp. 81, 82
Fusicladium 5, 46, 133
Fusicladium control 46, 133

G

Galeopsis tetrahit / hemp-nettle 190
Galinsoga 190
Galingsoga parfiflora / Galinsoga 190
Gamma agent 178
Germination of spores (scab) 135, 140
Gesarol 113
Glandular ovipositing pouch 186
Grain dressing-cereal seed dressing 8, 30, 31, 33, 35, 58, 59, 60, 61, 62, 65, 67, 80
Grain diseases 8, 10
Grain weevil 24, 25, 30, 31, 33, 35, 36, 56, 57, 60, 61, 62
Grain weevil control 8, 24, 35, 36, 56, 57, 58, 67
Grape 243, 246
Grape leaf louse 73, 90
Grapholita funebrana 262
Greengage 189
Greenhouses 190, 194, 213, 215, 217
Green type 188
Greus (Finnish winter rye variety) 81
Grewe, Sir James (apple variety) 120
Groundsel (Senecio vulgaris) 190

H

Hair hygrometer 197
Hallertau population 188, 213, 217, 218, 219, 223
Hanks sprayer 263
Hawkweed/hieracium sp. 190
Hazel 131, 168
Helminthosporium gramineum 8
Henbit (reumium amplexicaule) 190
Hemp-nettle 190
Hexa agents 49, 50, 51, 158, 172, 178
Hexachlorocyclohexane 238, 239
High pressure motor sprayer 114
High pressure sprayers 168, 240
Höfchen population 188, 213, 217, 219, 220, 221, 223, 224
Holder vine sprayer 122
Honey-dew 124, 129
Hoplocampa flava 233, 275, 276, 278, 280
Hoplocampa minuta 233, 275, 276, 278, 280
Hops — Humulus lupulus — 189
Hops 34, 110, 129, 181, 183, 184, 188, 189, 209, 210, 214, 217, 218, 221, 223, 226
Hop red spider 184
Hop spider mite 184
Hop weeds 226
Horse beans 121, 124
Horse-drawn sprayers (weed control) 86
Hylobius abietis 169
Hylobius abietis L. 169
Hylocoetus dermestoides 175, 178
Hylocoetus flabelicornis 173
Hypertonic medium 109

I, J

Increase in yield after the application of "Systox" 128
Increase in yield by pest control (fruit growing) 23, 24
Incubation period 140
Infested grain 56
Initial effect 249
Insect breeding room 215
Insecticidal content 242, 246
Insecticidal dusting agents 36, 50, 51
Insecticidal dusts 49, 67
Insecticidal residue 236
Insecticidal sprays 36, 47, 50, 67
Insecticide, liquid, 36, 47, 67
Insecticides 36, 43, 47, 60, 61, 65, 67, 234, 236, 242, 245, 246, 257, 265
Insecticides, dust type, 36, 47, 48
Irrigation 84
Irritant effect of the poison 249
Ivy-leaved speedwell (Veronica hederofolia) 190
Joint actions (control of the cherry fruit fly) 113, 116

K

Knapsack duster 180
Knapsack sprayer 115, 252
"Knorpelkirsche" (cherry variety) 245

L

Lamium album 190
Lamium amplexicaule 190
Lamium purpureum 190

Lang-Welte-Method 172
Large-scale actions on cockchafer control 130
Larvicidal effect 270
Late blight control 8, 16, 18, 19, 35, 42, 44, 45, 58, 62, 67
Late blight damages 19, 20
Late blight of potatoes 16, 18, 19, 20, 32, 35, 42, 45, 58, 59, 60, 61
Late blights spraying 42, 44, 45
Late cherry varieties 238
Laspeyresia funebrana 233, 262, 268, 269, 270, 271, 274, 275, 279
Laspeyresia pomonella 142
Leaf nematodes 90, 91, 99, 102, 108, 109, 110, 112
Leaf roller 120
Leaf stripe 8, 38, 81
Leaf suckers 52, 58
Leontodon hispidus 190
Leptinotarsa decemlineata 16
Lesser bindweed 73, 190
Lepyrus palustris 169, 170, 171, 172
Lipide coatings 246, 267
Lipide solubility ("E 605") 166
Liquid insecticides 36
Lonicera bushes 239, 248, 259, 262
Loose smuts in oats 8, 9, 10, 38, 82
Losses caused by grain diseases 10
Losses caused by grain weevils 24
Losses caused by pollen beetles 16
Losses caused by rodents 26
Low pressure sprayers 168
Lucerne leaf beetle 178, 179, 180
Lymexolinidae 173
Lymexylon navale L. 172

M

Malacca cane 252
Malpighian tubes 186
Marsh mallow spider mite 184
Maturation of spores (scab) 138
MCPA agents 85, 167
Medicago lupulina 189
Medicago lupulina / yellow clover 189
Medicago sativa 189
Meligethes aeneus 14
Mercury preparations (scab control) 140
Metatetranychus ulmi 190
Meteorological station at Hüll 218
Mice 8, 33, 58, 60, 61, 62
Microlepidoptera 117
Mildew (vine varieties) 42, 45
Mite 74, 75, 77, 79, 109, 187, 192, 210, 215, 216, 223, 225, 226
Mixed preparations 2,4 D / 2,4,5 T 89, 167
Mode of action of "Systox" 109
"Möricke" bait trap 122
Molasses 114
"Molekulator" 79
Mortality 265, 267, 272
Mortality factor 227
Mortality graph 236, 237
Mortality of flies 265
Moths 117
Mould 8, 10, 80, 81
Mould injuries 81
Mould (Winter rye) 81
Mouse ear 138
Mowing 83

N

Natural death 211, 212
Natural regeneration in forests 168
Necrosis 124, 191
Nematode density 106
Nematodes 90, 91, 93, 94, 96—99, 103, 104, 106, 107, 108, 109—112
Nerve poison 109
Nettles 167
Nicotine 74, 75, 79, 177, 178, 239, 262
Nicotine soap 262
"Nikopren" 262
"Nipagin" M 241
Nymphochrysalis 187, 195

O

"Ob 21" = "Cupravit"
Octamethyl pyrophosphoric acid amide 235
Octamethyl tetramide 90
Oesophagus 186
Official meteorological service 140
Official meteorological stations 140
Oidium 45
Oil fruit parasites 14
Oiva (Finnish winter rye variety) 81
Olive fly 114
"OMPA" 235, 259, 260, 279
Onni (Finnish winter rye variety) 81

Organic compounds 41
Organic dyestuffs 119, 120, 121
Organic fungicides 43, 45
Organic phosphorous compounds 90, 108
Ornamental plants 190
Ovalarvicide 158
Ovicidal effect 120, 158, 165, 166, 157, 143, 268, 270
Ovicidal effect (Codling moths) 142, 157, 165, 166
Ovicide 158, 165, 166
Ox-eye daisy (Chrysanthemum leucanthemum) 189

P

Parasite controller 4
Paratetranychus 184
Paratetranychus pilosus 73, 74, 186, 190, 191, 193, 196, 204, 205, 225
Parthenogenesis 206, 212, 229
Parathion 156, 163, 239, 251, 266 271, 272
Parthenogenetic oviposition 206
Peach 189
Pear trees 117
Pekka (Finnish winter rye variety) 81
"Penetrating" effect 90, 279
Penny cress 13
Period of daylight 218, 219, 229
Perokides 235
Peronospora 5, 46, 73, 75
Peronospora sprays 73, 74
Pests occurring in stone fruits 233
Petasites officinalis 83
Petri dish 235, 241, 243, 246, 251, 263, 264, 265, 266
Phalera bucephala 158
Phaseolus vulgaris 189, 193, 194
Phosphoric acid ester 142, 155, 163, 234—265, 273, 276, 279, 280
Phosphoric ester preparations 113, 114, 115, 116
Phosphor-containing esters 120, 121
Phosphorus compound, organic, 108
pH-value 119
Phytenomus variabilis 178
Phytophthora 5, 16, 19, 21, 31, 44, 45, 48, 64, 130
Phytophthora infestans 16
Phytophthora spray 21, 45, 48
Pieris brassicae 158
Piesma quadrate 3, 58
Pirus communis 189
Pirus malus 189
Plantago lanceolata 190
Plantago major 190
Plantago media 190
Plant infestations 3, 4, 33, 66
Plant protection measures 21, 29, 34, 66
Plant protection offices 66, 134
Plant protection technicians 3, 4, 47, 58, 66
Plum codling moth 234, 262, 270, 271, 273, 274, 275, 280
Plum sawflies 23, 47, 52, 53, 236, 276
Plum sawflies, control of, 47, 52
Poison grain 28, 55, 56, 59, 60, 61
Pollen beetle 8, 15, 35, 36, 47, 50, 59, 60, 61, 62, 66, 69
Polyphagia 190
Polyphagous 190
"Pomarsol" 43
Population-dynamic factors 219, 221, 225, 227
Portable atomizer 157
Post-blossom spray 8, 23, 35, 46, 47, 132
Post-embryonic development 202, 203, 207, 209, 210, 215, 219, 226, 228
Potato beetle (= colorado beetle) 4, 16, 17, 20, 30, 32, 33, 34, 48, 49, 50, 51, 60, 61, 62, 130
Potato beetle control 8 16, 20, 35, 45, 48, 49, 50, 58, 60, 61, 64, 65, 66, 67, 68
Potato beetle sprays 51
Potato diseases 16, 20
Potato pests 16
Potato virus diseases 8, 30, 31, 60, 61, 62, 67
Potato water agar 108
Powdery Mildew on grains 32
Pre-blossom spray 8, 21, 35, 46, 133
Predatory bugs 226
Predatory insects 122
Preovipositional period 204, 205, 206, 228
Preventive sprays (Cherry fruit fly) 114
Primary infection (scab) 138, 139
Probit method 236, 240, 263
Prunus avium 189

Prunus domestica 189
Prunus insiticica 189
Prunus persica 189
Pteris 91, 98
Putrefactive bacteria 108, 110
Pyrethium 238
Pyridine 238

Q

Quassia 275
Quick wet seed dressing plants 36

R

Ragno rosso 184
Rape pests 47
Raphanus raphanistrum 190
"Rasikal" 40
Rat control 29, 36, 57, 58, 62, 66
Rats 8, 25, 27, 29, 31, 32, 60—63, 69
Red clover (Trifolium practeuse) 189
Red colour type 188
Red dead nettle (Lamium purpureum) 190
Red mite (red spider) 73, 74, 75, 90, 110, 184
Regeneration areas of beech 167
Reserve materials 83, 110
Residual effect 240, 249, 269, 270
Resistance to mould 81
Respiratory poison 109, 110, 112
Rhagoletis cerasi 233, 234, 237, 240, 247—261, 279
Rhagoletis cingulata 240
Rhagoletis fausta 240
Rhizoctonia 32
Rhizome 83
Rhodnius prolixus 166
Ribwort plantain 190
Rodents 25, 32, 56, 69
Roode mijit (red mite) 189
"Rote Knorpelkirsche" 115
Round filter 237, 246, 264, 267
Rucksack sprayers (weed control) 86, 87
Rumex acetosa 190
Rumex crispus 190
Rust on grains 32

S

Sambucus 189
Sale of plant protection agents 67
Sale of poison grains (field mouse control) 55, 56
Salt water method 115
Sawlike hard-wood boring Lymexylonid beetle 173, 174
Scab 42, 46, 47, 133, 134, 141
"Scab clock" 137, 141
Scab control 8, 42, 43, 45, 133, 139
Scab danger 139
Scab fungus 134, 138, 139
Scab infection 135
Scab insects 52, 90
Scab warning service 133, 139, 141
Schizotetranychus 184
Scymnus punctillum 226
Secretion of wax 264
Seed cleaning 10, 36, 37, 38
Seed dressers 36, 37, 130
Seed dressing 8, 9, 10, 30, 35—38, 58, 64, 80
"Seed dressing control" 37
Seed dressing stations 83
Seed recognition by authorities 10
Selection (Seed potatoes) 64
Selective weed control 168
Senecio vulgaris 190
Septanychus 184
Sexual dimorphism 187
Silkworm 158
Sinapis arvensis 190
Sitonia lineata 124
Smut diseases 10
Smutted ears 9
Snow mould 81, 82
Sodium dinitrocresylate 119
Sodium fluoride 238
Sodium trichloroacetate 167
Soil disinfectants 238
Soil processing (cherry fruit fly) 238
"Solbar" 42, 43, 45
Solanum lycopersicum 189
Solanum tuberosum 189
Sooty moulds 124
Sorrel 190
Sour cherry 240
"Spanische Weisse" 240, 241, 243, 244, 245, 248, 249, 251
Spider mite 75

Spinacea oleracea 189
Spinning glands 186
Spongy parenchyma 110
Spore flights (scab) 136, 138, 139, 140
Spores 134, 135, 139
Spray agents, insecticidal, 47, 48, 50, 51
Spray calendar 133
Spraying costs (cherry fruit fly) 116
Spraying date (cherry maggot) 116
Spraying (late blight) 18
Sprays against scab 42, 45, 141
Spring wheat tests 80
Spring cereals 7, 12, 14, 35, 36, 37, 38, 39, 40
Spring infection (scab) 134
Spring wheat tests 80
Stem eelworm 108, 111
Stimulation 129
Stinging nettle 189
Stinging nettle / Urtica dioeca 189
Stinking smut 8, 10, 38
Stinking smut in wheat 8, 9, 81
Stomach poison 110
Storage pests 56
Strawberry tarsonemid mite 90, 109
Stripe smut 80
Sucking parasites 90, 110
Sucking pests 90, 110
Sugar beet (Beta vulgaris saechari-fera) 7, 132, 189
Sugar water 248
Sulphur agents 41, 42, 43, 44, 45
Sulphur acid 197, 198
Summer females (spider mite) 188, 213, 214, 215, 216, 218
Summer spraying 8, 23, 30, 31, 46, 52, 58. 59, 60, 61, 62, 67
Sweet cherry tree 173, 174, 175, 176, 177
Syrup 235, 248
Systemic agent 90, 91, 110
Systemic insecticide 121, 142, 156
"Systox" 74, 75, 76, 77, 78, 79, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 121, 122, 124, 125, 128, 129, 130, 156, 259, 260, 279
"Systox" seed dressing 122, 125, 129

T

Tar oil 54, 113, 119
Technical equipment (Fruit growing) 140
Teliochrysalis 187, 204, 217
"TEPP" 158
2,4,5 T-esters 167
Test, biological, 243
Test sprays 114, 115
Tetraethyl pyrophosphate 158
Tetrachloroethane 238
Tetranychidae 182, 183, 185, 186, 190, 225
Tetranychus 183, 184
Tetranychus althaeae 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 208, 210, 213, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229
Tetranychus bimaculatus 183, 184,188, 218, 223
Tetranychus telarius 184
Tetranychus urticae 183, 184, 191, 206, 215, 226
Tetranyque tisserand 184
Thermohygrograph 194
Thermostat 143, 144, 159, 200, 216, 236
Thickets 131
Thiophosphate 120
Thiophosphoric acid 156, 235
Tilletia spores 9
Tilletia tritici 8, 81
Tmetocera ocellana 117
Toiva (Finnish winter rye variety) 81
Tortrix moth 117
Total temperature rule 138
Toxicity 236, 241, 242, 244, 246, 266
Toxic residues 259
2,4,5 T preparations 86
Tracheal trunks 185
"Tributon" 167, 168, 169
Tropinota hirta 172
Tuburcinia occulta 80
Tuburcina occulta, stripe smut 80
Tufted vetch (Vicia cracca) 190
Turkey red oil 236
Turnips 7, 14, 15
Two spotted spider mite 184

U

United controls (grain weevils) 56
Useful insects 225
Ustilago avenae,
loose smut in oats 9, 82
Ustilago hordei,
covered smut of barley 81

V

Vapour action 272, 273, 285
Vapour effect 278
Vapour phase / vapour effect
271, 277, 280
Vapour pressure 273
Venturia inaequalis 133
Vine protection service 134
Vine spraying 46
Vine (Vitis vinifera) 189
Violet (Viola sp.) 189
Virus diseases (Potato) 19, 20
Viticulture 35, 73, 74, 134
Vjatka
(Russian Winter Rye Variety) 81
Voles 174

W

Warburg apparatus 166
Warning service 134, 139, 141
Warning service (Scab control) 141
Waxy substances 246, 263
Weather forecast 140, 141
Weeds 10, 11, 13, 14, 31, 32, 33, 60, 61,
63, 83, 85, 86, 88, 167, 168
Weed control 8, 10, 11, 12, 13, 14, 31,
32, 34, 36, 37, 38, 39, 40, 41, 60, 61,
62, 67, 68, 73, 85, 88, 167
Weed control in forests 168, 169
Weed invasion 11, 12, 13, 14, 39, 40
Weed killers 36, 38, 39, 67
Weed killers containing chlorine for
use on paths, lawns, and sports
grounds 40, 41, 85
Weed killers containing
growth regulators 39, 40, 41, 85, 167
Weed killing (hop growing) 217—218
Weevils (hepyrus palustris)
169, 170, 171, 172
Wettable powders 157
Wettable sulphur 43, 44, 74, 78, 79
Wheat 8, 9, 10, 12, 80, 83, 131
White clover (Trifolium repeus) 189
White dead nettle
(Lamium album) 190
White-eyed Zwyndrechte
(bean variety) 122
White worm 32, 130, 132
Wild fruit 131
Wild mustard 10, 11, 13
Wild of clover 32
Wild roses 131
Willow pests 170
Winter cereals 6, 14, 34, 35, 36, 37, 38,
39, 40
Winter females (spider mite) 188, 213,
214, 215, 216, 217, 218, 219, 225, 229
Winter generations (spider mite) 215
Winter moths 52, 53, 139
Winter rape 14, 16, 30, 49
Winter rye 12, 80, 81, 82
Winter rye tests 80
Winter rye varieties
resistant to mould 81
Winter turnips 14, 16, 30
Winter wheat 6, 7, 12, 80, 81, 82
Wire-worm 32
Wood mice 26, 27
Woolly aphids 90

X

Xylene 165

Y

Yellow spray 39, 40, 54
Yellow spray (weed control) 39, 40
Yellow threads 158
Yield loss (field mice) 28

E. 14 – 574/1539